

Certificate of Analysis

Company: Family Tree Hemp Co

Sample ID: Organic CBD: Lifter

P. O Box 400

Lot: N/A

Report Date: 12/15/2022

Sheldon Springs, VT 05485

Matrix: Flower

Date Analyzed: 12/13/2022

Customer ID: 200210-0

Date Sampled: N/A

Analyst: 050

Grower License #: 50-2022-00000564

Date Received: 11/29/2022

Report ID: C221129AR

Cannabinoid Summary

Cannabinoid Profile	LOQ (mg/g)	Concentration (mg/g)	Weight (%)
CBDVA	0.0005	1.68	0.17
CBDV	0.0012	<LOQ	<LOQ
CBDA	0.0008	220.62	22.06
CBGA	0.0008	4.22	0.42
CBG	0.0019	0.65	0.06
CBD	0.0019	8.31	0.83
THCV	0.0021	<LOQ	<LOQ
CBN	0.0013	<LOQ	<LOQ
Δ9-THC	0.0020	0.84	0.08
Δ8-THC	0.0019	<LOQ	<LOQ
THC-A	0.0034	7.67	0.77
CBC	0.0024	1.02	0.10
Total THC		7.57	0.76
Total CBD		201.79	20.18
Total Cannabinoids		245.01	24.50

0.76%

Total THC

20.18%

Total CBD

24.5%

Total Cannabinoids

0.08%

Δ9-THC

11.86%

Percent Moisture

1 : 26.7

THC : CBD Ratio

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:
 Total THC = (THCA x 0.877) + Δ9-THC Total CBD = (CBDA x 0.877) + CBD
 Ratio of Total CBD: Total THC Reagent Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement.
 Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: Luke E.M.
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)